

=> d his ful

(FILE 'USPAT' ENTERED AT 14:49:51 ON 08 MAR 1999)  
L1 179 SEA CARBON(P) CHROMIUM(P) TUNGSTEN(P) MOLYBDENUM(P) IRON(P) VAN  
ADI  
UM(P) (NIOBIUM OR COLUMBIUM) (P) COBALT(P) BORON(P) MANGANESE  
L2 0 SEA DD HIS

FILE USPAT

```
* * * * *
*           W E L C O M E   T O   T H E           *
*           U . S .   P A T E N T   T E X T   F I L E   *
* * * * *
```

775 SEA CARBON AND CHROMIUM AND TUNGSTEN AND MOLYBDENUM AND VA  
 NAD IUM AND (NIOBIUM OR COLUMBIUM) AND COBALT AND BORON AND MA  
 NGA NESE AND IRON  
 L2 191 SEA CARBON(P)CHROMIUM(P)TUNGSTEN(P)MOLYBDENUM(P)VANADIUM(P  
 )(C OIUMBIUM OR NIOBIUM) (P) COBALT(P)BORON(P)BORON(P)MANGANESE  
 L3 1 SEA L2 AND SUBMERG?(P) (ZINC OR ALUMINUM)

FILE USPAT

\* \* \* \* \*  
 \* W E L C O M E T O T H E \*  
 \* U . S . P A T E N T T E X T F I L E \*  
 \* \* \* \* \*

=> d 12 cit 97

97. 4,560,408, Dec. 24, 1985, Method of using chromium-nickel-manganese-iron alloy with austenitic structure in sulphurous environment at high temperature; Per H. Wilhelmsson, 420/46, 47, 48, 584.1, 585, 586, 586.1 [IMAGE AVAILABLE]

=> d 12 cit 49

49. 5,077,006, Dec. 31, 1991, Heat resistant alloys; John H. Culling, 420/584.1, 40, 53, 430, 431, 443, 451, 453, 454, 580, 581, 583, 586 [IMAGE AVAILABLE]

=> d 12 cit 114

114. 4,435,226, Mar. 6, 1984, Wear resistant cast iron alloy with spheroidal graphite separation and manufacturing method therefor; Hans J. Neuhauser, et al., 148/545, 321, 324, 330, 332 [IMAGE AVAILABLE]

=> d 12 cit 106

106. 4,487,630, Dec. 11, 1984, Wear-resistant stainless steel; Paul Crook, et al., 420/36; 75/10.19, 10.22, 238; 420/11, 12, 38, 452, 453, 585 [IMAGE AVAILABLE]